




**DESCRIPTION OF AREA**

Indicate North



**Map must be legible and include:**

- Preferred entry points for inspection
- Location/name of surrounding roads
- Location of buildings on property
- Forested areas and harvest areas
- Log landing(s)
- Power lines and Municipal ditches

---

**It is requested that if loggers are working near or adjacent to power lines that they contact the local Hydro Utility Company for assistance to prevent an accident and any damage that may occur to hydro lines and equipment due to a logging accident.**

<b>Please indicate if the property is enrolled in:</b>	<b>YES</b>	<b>NO</b>
Conservation Land Tax Incentive Program		
Managed Forest Tax Incentive Program		
<b>If the landowner is selling standing timber to a logger for harvesting has:</b>	<b>YES</b>	<b>NO</b>
A contract been signed between landowner and contractor?		
The contractor provided proof of WSIB coverage for employees / liability insurance coverage?		
The contractor provided proof of cutter/skidder certification for all employees and themselves?		
The main skid trail been delineated?		
Arrangement been made to harvest the fuelwood from tree tops?		

**THE COUNTY OF BRUCE RECOMMENDS THAT THE BEST MECHANISM TO ENSURE LONG-TERM FORESTRY HEALTH AND LONG-TERM FOREST REVENUE IS TO UNDERTAKE A MANAGEMENT PLAN PREPARED FOR YOUR FOREST BY YOURSELF OR BY A QUALIFIED INDIVIDUAL OR FIRM, PRIOR TO UNDERTAKING A COMMERCIAL HARVEST, AND THAT HARVESTING PROCEED PURSUANT TO A PERMIT ISSUED UNDER SCHEDULE "C" OF BY-LAW 4071. HOWEVER, THE BY-LAW DOES STILL PERMIT A "DIAMETER LIMIT" CUT TO BE UNDERTAKEN, IN ACCORDANCE WITH THE MINIMUM DIAMETER LIMITS AS SET OUT IN THE BY-LAW. I HEREBY ACKNOWLEDGE THAT I HAVE THE OPTION OF UNDERTAKING A FORESTRY MANAGEMENT PLAN AND HEREBY AUTHORIZE \_\_\_\_\_ (INSERT NAME OF CONTRACTOR, IF APPLICABLE) TO UNDERTAKE A DIAMETER LIMIT CUT IN ACCORDANCE WITH MINIMUM DIAMETER LIMITS AS SET OUT IN THE BY-LAW.**

**I AGREE THAT OPERATIONS WILL BE IN ACCORDANCE WITH THE PROVISIONS OF FOREST CONSERVATION BY-LAW NO. 4071 OF THE CORPORATION OF THE COUNTY OF BRUCE AND THAT I AM FAMILIAR WITH THE CONTENTS AND REQUIREMENTS OF THIS BY-LAW. I FURTHER AGREE THAT ANY TREE HARVESTED WILL MEET OR EXCEED THE REQUIRED CIRCUMFERENCE LIMITS AT THE HIGHEST POINT OF MEASUREMENT AS SHOWN ON SCHEDULE "A" TO BY-LAW NO. 4071.**

Both Signatures are required if a logger is being used to carry out the harvesting of trees.

\_\_\_\_\_  
Signature of Owner

\_\_\_\_\_  
Signature of Contractor (if applicable)

\_\_\_\_\_  
Date

**I UNDERSTAND THAT UNDER THE AUTHORITY OF THIS BY-LAW AND THE MUNICIPAL ACT, 2001, AN APPOINTED OFFICER CAN ENTER THE DESCRIBED PROPERTY FOR THE PURPOSES OF UNDERTAKING AN INSPECTION.**